



xpress

MODULAR
CARPET

Multiple collections with simplified pricing
(each collection = one price).

No moisture testing required. See installation
instructions for complete details.

Guaranteed shipping.

Stunning selection, crafted for any space.

**For more information, contact your Mannington
representative or call us at 800-241-2262.**

UP TO

500

SQUARE
YARDS OF
ENTRYWAY
SYSTEMS

UP TO

1,000

SQUARE
YARDS OF
MODULAR
CARPET

GUARANTEED SHIPPING

5

DAYS ON MODULAR CARPET

1


DAY ON ENTRYWAY SYSTEMS

Broadloom products available with normal lead times only.




Blueprint Collection


Style: Outline



Borough
15217



Crosstown
11212



District
13219




Metro
14215




Midtown
82213



Province
82214



Region
84218



Ward
35216

Fiber ECONYL® 100% Regenerated
Type 6 Nylon
Dye Method Solution
Construction Patterned Loop
Face Weight 14 oz
Technologies ColorSafe®, XGUARD®
Size 24" x 24"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar, Monolithic,
Vertical Ashlar,
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available




Blueprint Collection


Style: Script




Borough
15217



Crosstown
11212



District
13219




Metro
14215




Midtown
82213



Province
82214



Region
84218



Ward
35216

Fiber ECONYL® 100% Regenerated
Type 6 Nylon
Dye Method Solution
Construction Patterned Loop
Face Weight 14 oz
Technologies ColorSafe®, XGUARD®
Size 24" x 24"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar, Monolithic,
Vertical Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available



Blueprint Collection

Style: Sketch



Borough
15217



Crosstown
11212



District
13219



Metro
14215



Midtown
82213



Province
82214



Region
84218



Ward
35216


Fiber ECONYL® 100% Regenerated
Type 6 Nylon
Dye Method Solution
Construction Patterned Loop
Face Weight 14 oz
Technologies ColorSafe®, XGUARD®
Size 24" x 24"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar, Monolithic,
Vertical Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available




Quadrant Collection


Style: Align



Acute
34584




Binomial
73585



Bisect
13582



Concentric
74586



Geometry
32583



Gridline
43578




Interval
14587



Probability
84588



Radian
83577



Secant
13579


Fiber.....Antron® Legacy™ Type 6,6 Nylon
Dye Method.....Solution/Yarn
Construction.....Patterned Loop
Face Weight.....21 oz
Technologies.....ColorSafe®, XGUARD®
Size.....24" x 24"

Backing Type.....Infinity® 2 Modular
Installation.....Horizontal Brick Ashlar, Monolithic
Sustainability.....EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty.....Limited Lifetime
Price.....Xpress Pricing Available



Quadrant Collection


Style: Precision



Acute
34584




Binomial
73585




Bisect
13582



Concentric
74586



Geometry
32583



Gridline
43578




Interval
14587



Probability
84588



Radian
83577



Secant
13579

Fiber.....Antron® Legacy™ Type 6,6 Nylon
Dye Method.....Solution/Yarn
Construction.....Patterned Loop
Face Weight.....22 oz
Technologies.....ColorSafe®, XGUARD®
Size.....24" x 24"

Backing Type.....Infinity® 2 Modular
Installation.....Horizontal Brick Ashlar, Monolithic
Sustainability.....EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty.....Limited Lifetime
Price.....Xpress Pricing Available




Urban Grid Collection

Style: Mesh




Borough
15217



Crosstown
11212



District
13219




Metro
14215



Midtown
82213



Province
82214



Region
84218



Ward
35216


Fiber.....ECONYL® 100% Regenerated
Type 6 Nylon
Dye Method.....Solution
Construction.....Patterned Loop
Face Weight.....14 oz
Technologies.....ColorSafe®, XGUARD®
Size.....18" x 36"

Backing Type.....Infinity® 2 Modular
Installation.....Horizontal Brick Ashlar
Sustainability.....EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty.....Limited Lifetime
Price.....Xpress Pricing Available



Urban Grid Collection

Style: Scaffold



Borough
15217



Crosstown
11212



District
13219



Metro
14215




Midtown
82213



Province
82214



Region
84218



Ward
35216

Fiber ECONYL® 100% Regenerated
Type 6 Nylon
Dye Method Solution
Construction Patterned Loop
Face Weight 14 oz
Technologies ColorSafe®, XGUARD®
Size 18" x 36"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available




Urban Patina Collection

Style: Elevation




Borough
15217



Crosstown
11212



District
13219




Metro
14215




Midtown
82213



Province
82214



Region
84218



Ward
35216


Fiber ECONYL® 100% Regenerated
Type 6 Nylon
Dye Method Solution
Construction Patterned Loop
Face Weight 14 oz
Technologies ColorSafe®, XGUARD®
Size 18" x 36"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar, Monolithic,
Vertical Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available



Urban Patina Collection


Style: Span




Borough
15217



Crosstown
11212




District
13219




Metro
14215




Midtown
82213



Province
82214



Region
84218



Ward
35216

Fiber ECONYL® 100% Regenerated
Type 6 Nylon
Dye Method Solution
Construction Patterned Loop
Face Weight 14 oz
Technologies ColorSafe®, XGUARD®
Size 18" x 36"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar, Monolithic,
Vertical Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available




Exchange 2 Collection


Style: Transmit




Bluetooth
34145



Chat
35648




Comment
43532




Dial Tone
11142




Emoji
24645



Follower
35651




Haptics
13143




Hotspot
15149



Live Stream
74643




Operator
14148



Post
43650




Request
33652




Rotary
13146



Subscribe
52640



Switchboard
14144



Tether
82147

Fiber Antron® Lumena™ Type 6,6 Nylon
Dye Method Solution
Construction Textured Patterned Loop
Face Weight 21 oz
Technologies ColorSafe®, XGUARD®
Size 24" x 24"

Backing Types Infinity® 2 Modular
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available



Exchange 2 Collection

Style: Relay



Bluetooth
34145




Dial Tone
11142



Haptics
13143



Hotspot
15149




Operator
14148



Rotary
13146



Switchboard
14144



Tether
82147

Fiber Antron® Lumena™ Type 6,6 Nylon
Dye Method Solution
Construction Textured Patterned Loop
Face Weight 21 oz
Technologies ColorSafe®, XGUARD®
Size 24" x 24"

Backing Types Infinity® 2 Modular
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available



Exchange 2 Collection


Style: Dispatch




Bluetooth
34145




Dial Tone
11142



Haptics
13143




Hotspot
15149




Operator
14148



Rotary
13146



Switchboard
14144



Tether
82147


Fiber Antron® Lumena™ Type 6,6 Nylon
Dye Method Solution
Construction Textured Patterned Loop
Face Weight 21 oz
Technologies ColorSafe®, XGUARD®
Size 24" x 24"

Backing Types Infinity® 2 Modular
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available



Automata Collection

Style: CoDi




Bots
15376




Chain
12372



Chaotic
82374




Gens
34370




Input
13379




Neighborhood
11375




Oscillator
31373



Output
14378



Phoenix
83377



Rake
81371

Fiber Antron® Lumena™ Type 6,6 Nylon
Dye Method Solution/Yarn
Construction Patterned Loop
Face Weight 19 oz
Technologies ColorSafe®, XGUARD®
Size 18" x 36"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar, Monolithic,
Vertical Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available



Automata Collection

Style: Rule 30




Bots
15376



Chain
12372




Chaotic
82374




Gens
34370




Input
13379




Neighborhood
11375




Oscillator
31373



Output
14378



Phoenix
83377




Rake
81371

Fiber	Antron® Lumena™ Type 6,6 Nylon	Backing Type	Infinity® 2 Modular
Dye Method	Solution/Yarn	Installation	Horizontal Brick Ashlar, Monolithic
Construction	Patterned Loop	Sustainability	EPD & HPD Verified, CRI Green Label Plus, mindful MATERIALS
Face Weight	17 oz	Warranty	Limited Lifetime
Technologies	ColorSafe®, XGUARD®	Price	Xpress Pricing Available
Size	18" x 36"		




Automata Collection


Style: Cryptogram




Bots
15376




Chain
12372




Chaotic
82374




Gens
34370




Input
13379




Neighborhood
11375



Oscillator
31373



Output
14378



Phoenix
83377



Rake
81371

Fiber Antron® Lumena™ Type 6,6 Nylon
Dye Method Solution/Yarn
Construction Patterned Loop
Face Weight 18 oz
Technologies ColorSafe®, XGUARD®
Size 18" x 36"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar, Monolithic,
Vertical Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Availabe



Automata Collection


Style: Seeds




Bots
15376



Chain
12372



Chaotic
82374



Gens
34370




Input
13379



Neighborhood
11375



Oscillator
31373



Output
14378



Phoenix
83377



Rake
81371

Fiber Antron® Lumena™ Type 6,6 Nylon
Dye Method Solution/Yarn
Construction Patterned Loop
Face Weight 18 oz
Technologies ColorSafe®, XGUARD®
Size 18" x 36"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar, Monolithic,
Vertical Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available




Frixtion Collection


Style: Force



Contact
84364



Fluid
32367



Kinetic
11360



Roll
73366



Slide
34368



Static
34365



Surface
82361



Vector
14362


Fiber Type 6,6 Nylon
Dye Method Solution
Construction Patterned Loop
Face Weight 36 oz
Technologies ColorSafe®, XGUARD®
Size 18" x 36"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar, Monolithic,
Vertical Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available




Frixtion Collection

Style: Charge




Contact
84364




Fluid
32367



Kinetic
11360



Roll
73366



Slide
34368



Static
34365



Surface
82361



Vector
14362

Fiber Type 6,6 Nylon
Dye Method Solution
Construction Patterned Loop
Face Weight 36 oz
Technologies ColorSafe®, XGUARD®
Size 18" x 36"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available




Frixion Collection

Style: Inertia




Contact
84364




Fluid
32367



Kinetic
11360



Roll
73366




Slide
34368



Static
34365



Surface
82361



Vector
14362

Fiber Type 6,6 Nylon
Dye Method Solution
Construction Patterned Loop
Face Weight 36 oz
Technologies ColorSafe®, XGUARD®
Size 18" x 36"

Backing Type Infinity® 2 Modular
Installation Horizontal Brick Ashlar
Sustainability EPD & HPD Verified, CRI Green Label Plus,
mindful MATERIALS
Warranty Limited Lifetime
Price Xpress Pricing Available



All products feature our Quantum Guard Elite® technology with a 20 mil wear layer and are backed by a Limited 15-year Commercial and Limited 15-year Quantum Guard Elite® Wear Warranty.

Orders ship in five business days.

Stunning selection, crafted for any space.

For more information, contact your Mannington representative or call us at 800-241-2262.

UP TO **10,000** SQUARE
FEET OF
LVT


GUARANTEED SHIPPING

5 DAYS ON LVT



Spacia Xpress


Style: Wood



Dusky Walnut
SS5W2542




Eden Oak
SS5W1010




Exotic Walnut
SS5W2541




Featured Oak
SS5W2533



Nordic Oak
SS5W2550




Rustic Barn Wood
SS5W2513




Rustic Limed Wood
SS5W2650



Warm Cherry
SS5W2506



Weathered Oak
SS5W2524



Worn Ash
SS5W2539

Construction LVT with Micro-beveled Edges
Size 7.25" x 48"
Total Thickness 0.098" (2.5 mm)
Wear Layer Thickness... 20 mil (0.51 mm)
Wear Layer Quantum Guard Elite®

Sustainability EPD & HPD Verified, FloorScore, mindful MATERIALS

Warranty Limited 15-Year Commercial, Limited 15-Year Quantum Guard Elite® Wear

Price Xpress Pricing Available



Spacia Xpress

Style: Stone




Ceramic Flint
SS5S2594




Ceramic Light
SS5S1565



Gallery Concrete
SS5S3071



Linear Stone Shale
SS5S3606




Metropolis Smoke
SS5A2627

Construction LVT with Micro-beveled Edges
Sizes 12" x 18", 18" x 18"
Total Thickness 0.098" (2.5 mm)
Wear Layer Thickness... 20 mil (0.51 mm)
Wear Layer Quantum Guard Elite®


Sustainability EPD & HPD Verified, FloorScore, mindful MATERIALS
Warranty Limited 15-Year Commercial, Limited 15-Year Quantum Guard Elite® Wear
Price Xpress Pricing Available

Spacia Xpress


Style: Abstract




Linen Weave
SS5A3800



Mirus Cotton
SS5A6110



Mirus Feather
SS5A6120



Mirus Hemp
SS5A6130



Satin Weave
SS5A3805

Construction LVT with Micro-beveled Edges
 Sizes 7.25" x 48", 18" x 18"
 Total Thickness 0.098" (2.5 mm)
 Wear Layer Thickness... 20 mil (0.51 mm)
 Wear Layer Quantum Guard Elite®

Sustainability EPD & HPD Verified, FloorScore,
 mindful MATERIALS


Warranty Limited 15-Year Commercial,
 Limited 15-Year Quantum
 Guard Elite® Wear

Price Xpress Pricing Available




No Reservations Xpress

Style: Wood




Benevolence
NR102




Brazen
NR104




Endless
NR106



Enduring
NR105




Eternal
NR110




Hospitable
NR103




Inhibition
NR101



Intrepid
NR107



Keen
NR109



Steadfast
NR108

Construction LVT with Micro-beveled Edges
Size 7.25" x 48"
Total Thickness 0.1575" (4.0 mm)
Wear Layer Thickness... 20 mil (0.51 mm)
Wear Layer Quantum Guard Elite®


Sustainability EPD & HPD Verified, FloorScore,
mindful MATERIALS

Warranty Limited 15-Year Commercial,
Limited 15-Year Quantum
Guard Elite® Wear

Price Xpress Pricing Available

No Reservations Xpress

Style: Stone



Audacious
NR201



Rebellious
NR202

Construction LVT with Micro-beveled Edges
Size 12" x 24"
Total Thickness 0.1575" (4.0 mm)
Wear Layer Thickness... 20 mil (0.51 mm)
Wear Layer Quantum Guard Elite®

Sustainability EPD & HPD Verified, FloorScore,
mindful MATERIALS
Warranty Limited 15-Year Commercial,
Limited 15-Year Quantum
Guard Elite® Wear
Price Xpress Pricing Available



No Reservations Xpress


Style: Abstract



Affable
NR303




Altruistic
NR304



Ardent
NR310



Boundless
NR307



Dynamic
NR305




Exuberance
NR306



Stoic
NR301



Valiant
NR308



Vast
NR302



Vivacious
NR309

Construction.....LVT with Micro-beveled Edges
Size.....6" x 36"
Total Thickness.....0.1575" (4.0 mm)
Wear Layer Thickness...20 mil (0.51 mm)
Wear Layer.....Quantum Guard Elite®

Sustainability.....EPD & HPD Verified, FloorScore,
mindful MATERIALS

Warranty.....Limited 15-Year Commercial,
Limited 15-Year Quantum
Guard Elite® Wear

Price.....Xpress Pricing Available