



THE WELL WRITTEN COLLECTION



SPEAKS TO REFINED PATTERNS

WITH LUXURIOUS DEPTH

AND TEXTURE IN A BROAD



PALETTE OF SATURED HUES.





color MYKONOS (85031)
Modular installation: Brick Ashlar or Monolithic (shown)
Other installation methods at owner's discretion.

graffiti II



color MYKONOS (85031)
Modular installation: Monolithic (shown)
Other installation methods at owner's discretion.

etchings



color MYKONOS (85031)
broadloom

etchings



color MYKONOS (85031)
broadloom

typeset

well written collection

graffiti II

etchings

typeset

FEATURES

Available in 24" x 24" modular tile, 12' and 12'6" broadloom (style dependent)

100% Ultron Nylon 6,6 polymer features a tighter molecular structure with 20% harder resilience and 12% harder surface, resulting in better appearance retention, better resistance to crushing, matting and abrasive wear.

XGUARD® Stain Resistant Technology offers the highest level of performance in permanent stain resistance. Protection against common stains and ease of maintenance results in long-term appearance retention and extends the life of the carpet. Limited 15-Year XGUARD® Stain Resistant Warranty.

UltraBac® RE (etchings and typeset only)

- Contains a minimum of 10% post-consumer recycled content by total product weight
- Certified NSF/ANSI-140 Platinum
- High tuft bind
- Available in 12' 6" broadloom (etchings) or 12' broadloom (typeset)
- Limited Lifetime Wear and Backing Warranty

Integra HP® (etchings only - custom option 133 sq. yd. minimum)

- Contains pre-consumer recycled content. Certified NSF/ANSI-140 Gold
- Impermeable moisture barrier
- Eliminates wick-back staining
- Superior tuft bind wet/dry
- Superior dimensional stability
- Passes British Spill and Moisture Impact Tests
- Flexible in cold/hot environments
- Available in 12' 6" performance broadloom
- Limited Lifetime Wear and Backing Warranty

Infinity® Modular (graffiti II and etchings only)

- Contains pre-consumer recycled content
- Certified NSF/ANSI-140 Gold
- Superior tuft bind wet/dry
- Superior dimensional stability
- Passes British Spill and Moisture Impact Tests
- 24" x 24" modular carpet tile
- Limited Lifetime Wear and Backing Warranty



- UltraBac® RE contains a minimum of 10% post-consumer recycled content by total product weight. Certified NSF/ANSI-140 Platinum
- Infinity® Modular and Integra HP® contain pre-consumer recycled content. Certified NSF/ANSI-140 Gold
- Meets CRI Green Label Plus
- Adhesive meets VOC content limit of SCAQMD Rule #1168
- ISO 14001 registered manufacturing facility
- Contributes to LEED credits
- Carpet can be reclaimed through Mannington's LOOP® carpet reclamation program