

| Finish   | Quantum Guard Technology   | Quantum Guard HP             | FloorArmor with Quantum Guard HP | Urethane                |   |
|--|--|------------------------------|----------------------------------|-------------------------|---|
| Construction   | LVT  | Non-vinyl Resilient Products | Rigid Core LVT                   | LVT                     |   |
| Products   | Amtico Signature Collection, Amtico Anthology Collection, Amtico Northern Wonder Collection, Connected Collection, The Portland Project, Infused Collection, Spacia Collection | Cirro Collection             | Mannington Crown Collection      | Spacia First Collection | Access Collection, Spacia First 20 Collection |
| Recommended Areas  |  |                              |                                  |                         |   |
| Key: HR: Highly Recommended   R: Recommended   NR: Not Recommended |  |                              |                                  |                         |   |
| Common Use   | Corridors  | HR                           | HR                               | R                       | HR  |
|  | Vestibules / Entryways (c, e)  | R                            | R                                | R                       | R   |
|  | Lobbies / Lounge Areas (c, e)  | HR                           | HR                               | HR                      | HR  |
|  | Multipurpose   | HR                           | HR                               | HR                      | R   |
|  | Restrooms (2)  | R                            | R                                | R                       | NR  |
|  | Ramps (3)  | NR                           | NR                               | NR                      | NR  |
|  | Utility / Storage Areas  | HR                           | HR                               | R                       | HR  |
|  | Elevators  | HR                           | HR                               | R                       | R   |
|  | Dining / Hospitality Rooms   | HR                           | HR                               | HR                      | R   |
|  | Fitness Areas  | R                            | R                                | R                       | R   |
| Hospital / Healthcare (a)  | Indoor Pool / Spa Decks (2, 3, d, e)   | NR                           | NR                               | NR                      | NR  |
|  | Patient Rooms  | R                            | R                                | NR                      | R   |
|  | Patient Corridors  | HR                           | HR                               | NR                      | R   |
|  | Operating Rooms (1, a, d)  | NR                           | NR                               | NR                      | NR  |
|  | Scrub Rooms (2)  | NR                           | NR                               | NR                      | NR  |
|  | Emergency Rooms / Areas (e)  | R                            | R                                | NR                      | NR  |
|  | Procedure Rooms  | R                            | R                                | R                       | R   |
|  | Laboratories   | R                            | R                                | R                       | R   |
|  | Physical Therapy Rooms   | R                            | R                                | HR                      | R   |
|  | Dialysis (1)   | NR                           | NR                               | NR                      | NR  |
| Educational / Institutional  | Critical / Intensive Care (1)  | NR                           | NR                               | NR                      | NR  |
|  | Community Rooms  | HR                           | HR                               | HR                      | HR  |
|  | Residence Rooms  | HR                           | HR                               | HR                      | HR  |
|  | Classrooms   | HR                           | HR                               | HR                      | R   |
|  | Laboratories   | R                            | R                                | R                       | R   |
|  | Computer Labs (4)  | NR                           | NR                               | NR                      | NR  |
|  | Cafeterias, Dining Areas (b)   | R                            | R                                | R                       | NR  |
|  | Food Service Areas (b)   | R                            | R                                | R                       | NR  |
|  | Dormitory Rooms  | HR                           | HR                               | R                       | HR  |
|  | Locker Rooms (no spikes) (3, e)  | NR                           | NR                               | NR                      | NR  |
| Office   | Dance Studios  | R                            | R                                | R                       | NR  |
|  | Yoga Studios   | R                            | R                                | R                       | NR  |
|  | Corridors  | HR                           | HR                               | R                       | R   |
|  | Offices/Conference Rooms   | HR                           | HR                               | HR                      | HR  |
| Assisted Living  | Lunchrooms (b)   | HR                           | HR                               | R                       | R   |
|  | Lobby (c, e)   | HR                           | HR                               | R                       | R   |
|  | Common Spaces  | HR                           | HR                               | HR                      | HR  |
|  | Corridors  | HR                           | HR                               | R                       | R   |
| Retail   | Patient Rooms / Common Spaces  | HR                           | HR                               | NR                      | R   |
|  | Residence Kitchens (b)   | HR                           | HR                               | HR                      | HR  |
|  | Game / TV Rooms  | HR                           | HR                               | HR                      | HR  |
|  | Sales Floors (d)   | HR                           | HR                               | R                       | R   |
|  | Checkout / Cash Wrap Areas   | HR                           | HR                               | R                       | NR  |
|  | Food Service (b, e)  | R                            | R                                | R                       | NR  |
|  | Specialty Shops / Areas  | HR                           | HR                               | HR                      | R   |
| Tenant   | Produce Areas (3, d)   | NR                           | NR                               | NR                      | NR  |
|  | Frozen Food (d)  | R                            | R                                | R                       | R   |
|  | Common Spaces  | HR                           | HR                               | HR                      | HR  |
|  | Residence Rooms  | HR                           | HR                               | HR                      | HR  |

---

Recommended Usage Chart – Notes

**Key**

**HR:** Highly Recommended – An excellent floor for the space

**R:** Recommended – Other floors may be better suited

**NR:** Not Recommended – Should not be used in this space

Each of the following classifications: HR (Highly Recommended), R (Recommended), and NR (Not Recommended), are based on durability, cost, and the design criteria of the space, not solely on performance.

**General Notes**

- Mannington Resilient floors are not recommended for commercial kitchens.
- Mannington Resilient floors are not recommended for heavy industrial areas.
- All furniture must have proper floor protectors – Casters must be clean and operate properly (flat, minimum 1" width casters for hospital beds).
- Mannington Resilient floors are not recommended for exterior use or where spiked golf or track shoes are present.
- Mannington Resilient floors are generally not suitable as wall covering or wall surfacing.
- Mannington Resilient flooring is generally not recommended for applications such as hyperbaric rooms, computer rooms, electronic manufacturing or test labs where control of static is critical.

**The Following Codes Explain Why Specific Flooring Types Receive an NR Recommendation**

1. Aseptic Area – Hygienic conditions are extremely important
2. Water Resistance – Wet area installation is necessitated (flash coving, sealed seams), use appropriate product/adhesive system
3. Slip Retardance – A good traction, secure surface is required
4. Static Control – High level of static control normally called for in this area (static dissipative or conductive)

**Annotated Notes**

- a. Only use in operating rooms not requiring conductive or static dissipative flooring.
- b. No standing water
- c. For areas where there can be significant exposure to trafficked dirt and debris. The application of a high quality floor finish or field applied urethane may be required, based on traffic and maintenance practices.
- d. Amtico RP-18, XpressStep for LVT & Sheet Vinyl or XpressStep Premium for LVT must be used under hospital beds and in areas of heavy rolling loads. Use Amtico RP-18 for areas where higher risk of topical moisture is a concern.
- e. Non staining entryway walk-off systems.