Amtico Northern Wonder Collection

NT DA ETAN

44

36

1 67

1. 182

Mannington

ITZ P

Cover: Aura - Myth NW307 **Above: Aura** - Glimpse NW302, Memory NW303, **Visible Light Modular** - Frequency 13783

co i

Apparition - Wonder NW104, Nightfall NW108, Force Entryway - Fluid 32367










Amtico Northern Wonder Coordinates


Our flooring integrates seamlessly across product types and collections, so you can build an inspired flooring palette for your spaces without sacrificing form for function. Play off of Northern Wonder's abstract designs with rich textures and patterns from our carpet collections. Choose LVT in stone or wood visuals for a natural complement. Reinforce or extend your color palette with the perfectly matching solid tones of the Color Anchor Collection, which spans all product types.





- 1. Heirloom, Relic, Accord
- 2. Heirloom, Memento, Accord
- 3. Color Anchor, Groove, Cottontail
- 4. Amtico Northern Wonder, Apparition, Glimpse
- 5. Amtico Signature, Stone, Basilica Shell
- 6. Heirloom, Souvenir, Loket





- 1. Paper, Creased Paper, Washi
- 2. Amtico Signature, Wood, Shibori Lapsang
- 3. Heirloom, Memento, Union
- 4. Amtico Northern Wonder, Illusion, Mist
- 5. Amtico Northern Wonder, Aura, Wonder
- 6. Heirloom, Souvenir, Trebon
- 7. Color Anchor, Stride, Midnight Twinkle
- 8. Bouclé, Teal





Mist NW101 Aura

Mist NW301



Illusion

Mist NW201



Apparition

Flare NW105 Aura

Flare NW305



Illusion

Flare NW205





Glimpse NW102 Aura

Glimpse NW302



Illusion

Glimpse NW202





Apparition

Reverie NW106 Aura

Reverie NW306



Illusion

Reverie NW206






Memory NW103 Aura

Memory NW303



Illusion


Memory NW203



Apparition

Myth NW107 Aura

Myth NW307



Illusion


Myth NW207





Wonder NW104 Aura

Wonder NW304



Illusion

Wonder NW204



Apparition

Nightfall NW108 Aura

Nightfall NW308




Illusion

Nightfall NW208



A Mesmerizing Journey

Amtico Northern Wonder was inspired by a wintertime trek to see the northern lights. Suiting a variety of spaces, the abstract patterns build mesmerizing landscapes of celestial color, shadow and light. As digitally printed LVT, Northern Wonder allows for a large palette and crisp, complex patterns with incredible visual variation across each plank, for unique, memorable flooring designs.





Success Is in Our Science


Introducing an advancement in our proven Quantum Guard technology: Quantum Guard Elite. This patent pending technology provides the ultimate solution for all aspects of LVT performance.

- Highest scratch resistance in the industry
- Engineered for best-in-class dimensional stability
- Superior impact resistance
- Cuts cleanly for highest quality installation
- Easy no-polish maintenance significantly reduces overall life cycle cost and total cost of ownership
- Advanced stain resistance

Outperforms in Scratch Resistance


Quantum Guard Elite

Leading Competitor






With a patent-pending two-part wear layer and aluminum oxide infused top coat, Quantum Guard Elite offers superior scratch resistance vs. the leading competitor. **Complete Multi-Layered Protection** Quantum Guard Elite combines a hard wear layer and a flexible wear layer for superior durability with the added protection of our proprietary aluminum oxide technology.




Best-in-Class Dimensional Stability

Quantum Guard Elite

Leading Competitor





LVT with Quantum Guard Elite is fully engineered to offer the perfect balance of hardness and flexibility, which helps prevent product failures in commercial environments. Products exposed to 80°C for six hours.

Warranted to Work

Products with Quantum Guard Elite feature our Limited Quantum Guard Elite Wear Warranty and Limited Commercial Warranty.

						Straigh	nt Grain	Cross Grain				
Style	Color	Product Code	Price Point	Surface Finish - Ceramic	Quantum Guard Elite® Technology	6" x 48" (152 x 1219 mm)	12" x 24" (305 x 610 mm)	6" x 48" (152 x 1219 mm)	12" x 24" (305 x 610 mm)	Amtico Custom Design	Signature & Choice Layouts	Signature & Choice Borders & Motifs
Apparition	Flare	NW105	А	•	•	•	•			•	•	•
Apparition	Glimpse	NW102	А	•	•	•	•			•	•	•
Apparition	Memory	NW103	А	•	•	•	•			•	•	•
Apparition	Mist	NW101	А	•	•	•	•			•	•	•
Apparition	Myth	NW107	А	•	•	•	•			•	•	•
Apparition	Nightfall	NW108	A	•	•	•	•			•	•	•
Apparition	Reverie	NW106	А	•	•	•	•			•	•	•
Apparition	Wonder	NW104	А	•	•	•	•			•	•	•
Aura	Flare	NW305	А	•	•			•	•	•	•	•
Aura	Glimpse	NW302	А	•	•			•	•	•	•	•
Aura	Memory	NW303	А	•	•			•	•	•	•	•
Aura	Mist	NW301	А	•	•			•	•	•	•	•
Aura	Myth	NW307	А	•	•			•	•	•	•	•
Aura	Nightfall	NW308	А	•	•			•	•	•	•	•
Aura	Reverie	NW306	А	•	•			•	•	•	•	•
Aura	Wonder	NW304	А	•	•			•	•	•	•	•
Illusion	Flare	NW205	А	•	•			•	•	•	•	•
Illusion	Glimpse	NW202	А	•	•			•	•	•	•	•
Illusion	Memory	NW203	А	•	•			•	•	•	•	•
Illusion	Mist	NW201	А	•	•			٠	•	•	•	•
Illusion	Myth	NW207	А	•	•			•	•	•	•	•
Illusion	Nightfall	NW208	А	•	•			•	•	•	•	•
Illusion	Reverie	NW206	А	•	•			•	•	•	•	•
Illusion	Wonder	NW204	А	•	•			٠	•	•	•	•

Amtico Northern Wonder Collection

Style	Apparition, Aura, Illusion				
Construction	Luxury Vinyl Tile				
	Non-ortho Phthalate				
Classification	ASTM F1700 Class III, Type A & B				
Total Thickness	0.098″ (2.5 mm)				
Wear Layer Thickness	40 mil (1 mm)				
Wear Layer	Quantum Guard Elite®				
Edge Treatment	Micro-bevel				
Sizes	6" x 48" (152 x 1219 mm)				
	12" x 24" (305 x 610 mm)				
Colors	8 each style				
Packaging	6" x 48" - 24 pcs, 48 ft² (4.459 m²), 32.064 lbs (14.54 kg)				
	12" x 24" - 18 pcs, 36 ft² (3.345 m²), 24.048 lbs (10.91 kg)				
	Packaging may differ for QuickStix®				
Adhesive	Porous & Non-porous Substrates:				
	Amtico PSA Full Spread, Transitional Pressure Sensitive, High Moisture				
	Amtico RP-18 Full Spread, One Component				
	XpressStep for LVT & Sheet Vinyl Full Coverage Spray				
	XpressStep Premium for LVT Full Coverage High Moisture Spray				
	Porous Substrates Only:				
	Amtico 373 Full Spread				
	Note: Must use Amtico RP-18, XpressStep or XpressStep Premium adhesive under hospital beds and heavy rolling load areas.				
	Use Amtico RP-18 where higher risk of topical moisture would be a concern.				
QuickStix®	Available with QuickStix® pre-applied adhesive, reducing time and labor required to install the flooring.				
	QuickStix® floors can be used immediately after installation, even in extreme moisture areas.				
Installation Method	All arrows in the same direction. Planks should have end joints offset by at least 6" and staggered to				
	create a random appearance.				
Testing					
Testing					
HUD/FHA	Passes				
Flexibility (ASTM F137)	Passes - 1" Mandrel - No Crack/Break				
Dimensional Stability (ASTM F2199)	Passes - Max 0.020 in/lin ft				
Squareness (ASTM F540)	Passes - Max 0.010"				
Static Load (ASTM F970 mod.)	Passes - 2,000 PSI; Residual Indent ≤ 0.005"				
Residual Indentation (ASTM F1914)	Passes - < 8% Avg / 10% Single Value				
Flooring Radiant Panel (ASTM E648)	Passes - Class 1; ≥ 0.45 watts/cm ²				
Smoke Density (ASTM E662)	Passes - ≤ 450				
Slip Resistance (ASTM C1028)	Passes - ≥ 0.5 Leather; 0.6 Rubber				
Resistance to Light (ASTM F1515)	Passes				
Chemical Resistance (ASTM F925)	Passes				
Resistance to Heat (ASTM F1514)	Passes				
Environmental Data					
Rapidly Renewable Content	Contains 3% rapidly renewable resource content				
Indoor Air Quality	FloorScore Certified; CDPH v1.1-2010				
Product Declarations	EPD, HPD				
LEED Scoreboard	May contribute to LEED credits:				
	LEED 2009: MRc5 Regional Materials; MRc6 Rapidly Renewable Materials; IEQ4.1 Low Emitting Adhesives;				
	IEQ4.3 Low Emitting Materials - Flooring				
	LEED v4: Building Product Disclosure & Optimization - EPDs; Building Product Disclosure & Optimization -				
	Sourcing Raw Materials; Building Product Disclosure & Optimization - LPDs, Building Product Disclosure & Optimization -				
	Emitting Materials				
mindful MATERIALS	Visit mM Origin website, mindfulmaterials.origin.build, for current transparency information				
Manufacturing	Madison, GA (USA) - ISO 14001 EMS & ISO 9001 QMS Registered				
Warranty					
	Limited 25 Year Commercial Warranty				

Limited 25 Year Commercial Warranty Limited 25 Year Quantum Guard Elite® Wear Warranty