

Finish		Quantum Guard Technology		Quantum Guard HP	Urethane	
Construction		LVT	Rigid Core LVT	Non-vinyl Resilient Products	LVT	
Products		Amtico Signature Collection, Amtico Anthology Collection, Amtico Northern Wonder Collection, Connected Collection, The Portland Project, Infused Collection, Spacia Collection	Mannington Crown Collection	Cirro Collection	Spacia First Collection	Access Collection, Spacia First 20 Collection
Recommended Areas		Key: HR: Highly Recommended R: Recommended NR: Not Recommended				
Common Use	Corridors	HR	R	HR	R	HR
	Vestibules / Entryways (c, e)	R	R	R	R	R
	Lobbies / Lounge Areas (c, e)	HR	HR	HR	HR	HR
	Multipurpose	HR	HR	HR	R	HR
	Restrooms (2)	R	R	R	NR	R
	Ramps (3)	NR	NR	NR	NR	NR
	Utility / Storage Areas	HR	R	HR	HR	HR
	Elevators	HR	R	HR	R	R
	Dining / Hospitality Rooms	HR	HR	HR	R	R
	Fitness Areas	R	R	R	R	R
Hospital / Healthcare (a)	Indoor Pool / Spa Decks (2, 3, d, e)	NR	NR	NR	NR	NR
	Patient Rooms	R	NR	R	R	R
	Patient Corridors	HR	NR	HR	R	R
	Operating Rooms (1, a, d)	NR	NR	NR	NR	NR
	Scrub Rooms (2)	NR	NR	NR	NR	NR
	Emergency Rooms / Areas (e)	R	NR	R	NR	R
	Procedure Rooms	R	R	R	R	R
	Laboratories	R	R	R	R	R
	Physical Therapy Rooms	R	HR	R	R	R
	Dialysis (1)	NR	NR	NR	NR	NR
Educational / Institutional	Critical / Intensive Care (1)	NR	NR	NR	NR	NR
	Community Rooms	HR	HR	HR	HR	HR
	Residence Rooms	HR	HR	HR	HR	HR
	Classrooms	HR	HR	HR	R	HR
	Laboratories	R	R	R	R	R
	Computer Labs (4)	NR	NR	NR	NR	NR
	Cafeterias, Dining Areas (b)	R	R	R	NR	R
	Food Service Areas (b)	R	R	R	NR	R
	Dormitory Rooms	HR	R	HR	HR	HR
	Locker Rooms (no spikes) (3, e)	NR	NR	NR	NR	NR
Office	Dance Studios	R	R	R	NR	NR
	Yoga Studios	R	R	R	NR	NR
	Corridors	HR	R	HR	R	R
	Offices/Conference Rooms	HR	HR	HR	HR	HR
Assisted Living	Lunchrooms (b)	HR	R	HR	R	R
	Lobby (c, e)	HR	R	HR	R	R
	Common Spaces	HR	HR	HR	HR	HR
	Corridors	HR	R	HR	R	R
Retail	Patient Rooms / Common Spaces	HR	NR	HR	R	HR
	Residence Kitchens (b)	HR	HR	HR	HR	HR
	Game / TV Rooms	HR	HR	HR	HR	HR
	Sales Floors (d)	HR	R	HR	R	HR
	Checkout / Cash Wrap Areas	HR	R	HR	NR	R
	Food Service (b, e)	R	R	R	NR	NR
	Specialty Shops / Areas	HR	HR	HR	R	R
Tenant	Produce Areas (3, d)	NR	NR	NR	NR	NR
	Frozen Food (d)	R	R	R	R	R
	Common Spaces	HR	HR	HR	HR	HR
	Residence Rooms	HR	HR	HR	HR	HR

Recommended Usage Chart – Notes

Key

HR: Highly Recommended – An excellent floor for the space

R: Recommended – Other floors may be better suited

NR: Not Recommended – Should not be used in this space

Each of the following classifications: HR (Highly Recommended), R (Recommended), and NR (Not Recommended), are based on durability, cost, and the design criteria of the space, not solely on performance.

General Notes

- Mannington Resilient floors are not recommended for commercial kitchens.
- Mannington Resilient floors are not recommended for heavy industrial areas.
- All furniture must have proper floor protectors – Casters must be clean and operate properly (flat, minimum 1" width casters for hospital beds).
- Mannington Resilient floors are not recommended for exterior use or where spiked golf or track shoes are present.
- Mannington Resilient floors are generally not suitable as wall covering or wall surfacing.
- Mannington Resilient flooring is generally not recommended for applications such as hyperbaric rooms, computer rooms, electronic manufacturing or test labs where control of static is critical.

The Following Codes Explain Why Specific Flooring Types Receive an NR Recommendation

1. Aseptic Area – Hygienic conditions are extremely important
2. Water Resistance – Wet area installation is necessitated (flash coving, sealed seams), use appropriate product/adhesive system
3. Slip Retardance – A good traction, secure surface is required
4. Static Control – High level of static control normally called for in this area (static dissipative or conductive)

Annotated Notes

- a. Only use in operating rooms not requiring conductive or static dissipative flooring.
- b. No standing water
- c. For areas where there can be significant exposure to trafficked dirt and debris. The application of a high quality floor finish or field applied urethane may be required, based on traffic and maintenance practices.
- d. Amtico RP-18, XpressStep for LVT & Sheet Vinyl or XpressStep Premium for LVT must be used under hospital beds and in areas of heavy rolling loads. Use Amtico RP-18 for areas where higher risk of topical moisture is a concern.
- e. Non staining entryway walk-off systems.