

BLOCKPRINT - Oat Straw

VIVENDI - BLOCKPRINT

ALOE VIV212	CASHMERE VIV217	GINKGO VIV216	GINSENG VIV213	OAT STRAW VIV214	PARCHMENT VIV223	PERIDOT VIV222	RAVUS VIV218
SANDALWOOD VIV220	SOAPSTONE VIV221	SUMA VIV224	SUNSTONE VIV219	TRAVERTINE VIV211	TURMERIC VIV215		

HETEROGENEOUS

Vivendi Collection
Construction: Heterogeneous Sheet (Non-Phthalate Construction)
Size: 6′, 9′, 12′
Overall Thickness: 0.080″ (2.03 mm)
Wearlayer: Quantum Guard HP
Certifications: FloorScore

Warranty: Limited 10 Year Commercial, Limited 10 Year Quantum Guard HP Wear
Pattern Repeat: 72″ W x 36″ L Straight Repeat, Do Not Reverse, Random Match.
Seams can be chemically sealed or heat welded. Made in the USA.



PERENNIAL - Oat Straw

VIVENDI - PERENNIAL



ALOE
VIV012



CASHMERE
VIV017



GINKGO
VIV016



GINSENG
VIV013



OAT STRAW
VIV014



PARCHMENT
VIV023



PERIDOT
VIV022



RAVUS
VIV018



SANDALWOOD
VIV020



SOAPSTONE
VIV021



SUMA
VIV024



SUNSTONE
VIV019



TRAVERTINE
VIV011



TURMERIC
VIV015

HETEROGENEOUS

Vivendi Collection
Construction: Heterogeneous Sheet (Non-Phthalate Construction)
Size: 6′, 9′, 12′
Overall Thickness: 0.080″ (2.03 mm)
Wearlayer: Quantum Guard HP
Certifications: FloorScore

Warranty: Limited 10 Year Commercial, Limited 10 Year Quantum Guard HP Wear
Pattern Repeat: 72″ W x 36″ L Straight Repeat, Do Not Reverse, Random Match.
Seams can be chemically sealed or heat welded. Made in the USA.



WOVEN - Oat Straw

VIVENDI - WOVEN



ALOE
VIV112



CASHMERE
VIV117



GINKGO
VIV116



GINSENG
VIV113



OAT STRAW
VIV114



PARCHMENT
VIV123



PERIDOT
VIV122



RAVUS
VIV118



SANDALWOOD
VIV120



SOAPSTONE
VIV121



SUMA
VIV124



SUNSTONE
VIV119



TRAVERTINE
VIV111



TURMERIC
VIV115

HETEROGENEOUS

Vivendi Collection
Construction: Heterogeneous Sheet (Non-Phthalate Construction)
Size: 6′, 9′, 12′
Overall Thickness: 0.080″ (2.03 mm)
Wearlayer: Quantum Guard HP
Certifications: FloorScore

Warranty: Limited 10 Year Commercial, Limited 10 Year Quantum Guard HP Wear
Pattern Repeat: 72″ W x 36″ L Straight Repeat, Do Not Reverse, Random Match.
Seams can be chemically sealed or heat welded. Made in the USA.

MANNINGTON COMMERCIAL

RESILIENT SHEET WITH QUANTUM GUARD® HP






The highest performance commercial urethane finish in the industry. The patented aluminum oxide UV cured wearlayer eliminates the need for polish, while enhancing durability, cleanability, appearance retention, and slip retardance when compared to standard resilient floors.

Quantum Guard® HP

Patented. Tested. Proven.



MOH HARDNESS SCALE




10= ◇

9= QGHP

7= Quartz

2= Urethane without aluminum oxide

Cumulative Cost Per Square Foot By Year



Break Even on Product and Maintenance Cost Difference Between:

VCT VS. QGHP = **3 YRS**


STANDARD RESILIENT VS. QGHP = **1 YR**

Annual Maintenance Cost Savings:

STANDARD RESILIENT SHEET VS. QGHP
50,000 SF FACILITY



REGULAR MAINTENANCE ANNUAL TOTAL



RESTORATIVE MAINTENANCE ANNUAL TOTAL



TOTAL ANNUAL COST PER SQ. FT.



LOW MAINTENANCE: NO POLISH

- No polish, no buffing maintenance option
- Superior appearance retention
- Exceptional wear and stain resistance
- Unsurpassed cleanability and durability
- Enhanced slip retardance compared to standard resilient floors
- Limited 5 Year Wear Warranty for homogeneous, inlaid, and heterogeneous
- Limited 10 Year Wear Warranty for heterogeneous and luxury vinyl